



Celebrating Municipal Excellence

Nomination Form

Deadline: 4:00 p.m., Thursday September 18, 2014

Please attach all additional pages to this cover sheet when submitting your nomination.

Contact Information

Nominee Contact Information	
Name of municipality (ies) being nominated:	District of Lakeland No. 521
Contact Name:	Dave E. Dmytruk
Telephone #:	(306) 982-2064
Mailing Address:	Box 27 Christopher Lake, Saskatchewan S0J 0N0
E-mail Address:	office@lakeland521.ca
Name of Nominated Project:	Environmental Management Plan
Date Project or Practice Initiated:	March, 2014
Date Project or Practice Completed:	Ongoing

Nominator Contact Information	
Name:	Dave E. Dmytruk
Organization:	District of Lakeland No. 521
Position:	Administrator
Mailing Address:	Box 27 Christopher Lake, Saskatchewan S0J 0N0
Telephone #:	(306) 982-2064
E-mail Address:	dave.d@lakeland521.ca



General Questions

Answers to these questions MUST be included using the following headings. The Selection Committee has found it helpful to include photos and detailed information, including measurable outcomes, in your nomination. Also, please remember when filling out your nomination that winning practices are posted in the Best Practices Library, so be sure to include all information that may be helpful to others if it were to be used as a reference or resource.

A) The Practice

1. What was the issue that inspired the nominated project or practice?

The project had its beginnings within the Environmental Advisory Committee established by the District of Lakeland No. 521. Through concerns such as lake water quality issues, and the management of our existing natural resources expressed by our ratepayers at the annual informational meetings, Council has given support and agreed to proceed with this project. It was also understood that the residents would require some science to support any statements or actions taken. The Committee also agreed that it was a much larger issue than just a Lake Management Plan and that the municipality should look at the entire District as there are many influences that can affect the lakes.

2. What has this project or practice done to address the issue?

Phase 1 of the development of the Environmental Management plan was to identify the issues around the District and prioritize them in order of importance. A lot of historical data had to be researched in developing the plan along with an analysis of the present demographic and resident situation within the municipality. Phase 2 of the plan will be to target several specific areas and work towards developing appropriate actions to address the issues to the satisfaction of the municipality and to provide pertinent information and education to our ratepayers and visitors alike as to their responsibilities in terms of lake and environmental stewardship.

B) The Process

The District of Lakeland is comprised of approximately 55,600 hectares measuring approximately 15kms wide by 50 kms. long. Since incorporation in 1977 the District has grown to a year round population of 884 and a seasonal population that exceeds 20,000. Tourism, recreational boating and fishing are the primary activities in the area. The District maintains jurisdiction over Emma Lake (lower, middle and upper lakes), Christopher Lake, Anglin Lake and McPhee Lake as well as numerous other lakes and ponds. The District is adjacent to the Prince Albert National Park and has the newly created Great Blue Heron Provincial park within its boundaries. Environmental and lake stewardship has been a priority over the past several years and the District has initiated several projects to promote sustainability for future generations. The District has graduated from cardboard recycling to multi material recycling. The creation of a Planning and development department has assisted in controlling unauthorized development along our shorelines. The District has also developed an Environmental Advisory Committee comprised of one Council member serving as the Chairperson and with representatives from each of our residential developments and cottage owners associations and at large members who apply from our ratepayer population. Their primary purpose is to investigate and report on environmental issues tasked to them by the Council and to promote environmental stewardship through education initiatives to our residents and visitors. Hopefully, this will assist the Council, residents and visitors in making sound decisions as to their activities within the District.

In the fall of 2013, in response to requests from our ratepayers for a more science based approach to environmental management, the District of Lakeland applied to the University of Saskatchewan's School of Environment and Sustainability for assistance in preparing an Environmental Management plan for the municipality. We were successful in obtaining the services of a graduate student that was interested in our project and with guidance from the senior professors of the School of Environment embarked on the preparation of a plan. The Environmental Advisory Committee along with staff and Council members from the municipality met approximately 15 times throughout the spring and summer of 2014 in order to assist in identifying the environmental issues and factors causing concerns within the District of Lakeland. Some of the issues identified were;

- number and operation of motorized watercraft (wake boats)
- shoreline alterations
- septic tanks and grey water
- regional development
- degradation of ecologically sensitive areas
- exotic invasive species (zebra mussels)
- off road ATV use
- lake water quality

- algae and weed growth in our lakes
- lake water levels, sediment drainage
- spruce budworm and other insect infestations
- pressure from Provincial Park expansion

These concerns were prioritized and general guidance and actions were identified as to how the municipality may reduce or eliminate some of the concerns. The District considers this a multi-year project and has submitted an application to the University for a student project for the 2015 season. It is anticipated that a more concise and science based approach to several of the issues will be conducted and an operational and educational plan will be developed for the municipality to follow for future generations. As an additional benefit to the work being done by the District, is the hope that this initiative will also provide a template for other resort villages and municipalities within Saskatchewan, especially those with lake oriented issues to follow and use as a guideline..

3. What was the role of the municipal council and/or municipal staff in this project?

Municipal staff with guidance from the Environmental Advisory Committee completed the application to the University of Saskatchewan and was one of 12 applications accepted among 60 applications for this program. Assistance and input was provided by the Council and staff throughout the discussions and preparation of the report. The Council incurred little or no cost as the graduate student utilized this project as his thesis and the municipality provided a gift of appreciation and an honorarium at the end of the project. The municipality provided access to all of its historical data, zoning bylaws, development plan as well as mapping and a background development report that was prepared for the municipality in 1987.

4. Were other groups involved in developing this project or practice? If so, who were they and what role did they play?

The District engaged the general public through the Environmental Advisory Committee and the Ministry of Environment was consulted on several occasions to clarify Provincial interests and regulations.

5. What resources were involved?

The District provided all necessary resources, historical data, mapping, bylaws etc. Numerous days were spent with the graduate student driving him around the municipality and showing him the areas of concern and providing firsthand examples of some of the issues being faced by the municipality. Several outings on a pontoon boat were conducted to provide indications of shoreline development along our lakes and to show the watershed and drainage areas around our lakes.

6. How was the project or practice developed?

The completion of Phase 1 of the project resulted in the preparation of an Environmental Management Plan for the District of Lakeland No. 521. Phase 2 will now focus on the various issues to develop a more formal and concise plan with manageable actions to aid in the reduction or elimination of these factors or in some instances increased efforts in order to protect and sustain our lakes and environment for future generations.

C) The Results

7. What effect did this project or practice have on the community?

As this is the first phase of the project, the residents of the municipality have not been affected as of yet. It is anticipated that during Phase 2 of the project, the District will enhance their flow of educational information to make the general public aware of the District's lake and environmental stewardship initiatives. It is deemed imperative that the public be on side, working with and supporting the municipality on all environmental issues.

8. Was a formal evaluation done after the project or practice was completed?

The District conducted a review of the document prepared in Phase 1 and held consultations with the University of Saskatchewan School of Environment to assess the progress on the project. It was determined that Phase 1 of the project was extremely successful in organizing and laying out the basics of the environmental management plan, providing a strong foundation for work into the future.

9. Describe any challenges faced.

The District faces numerous challenges, however, the main issue that we have to deal with is the fact that the municipality has been overdeveloped in some areas. An example is the difficulties in implementing new initiatives and rules regarding development along the shorelines, and ensuring that recreational boating activities take place away from shorelines so as not to create further shoreline erosion issues, safety issues, and disturbances to nesting areas and other aquatic life. Another example is that the Province does not require ATV's to be licensed and it is becoming extremely difficult to control unauthorized off road ATV use as we are unable to identify potential violators. Generally speaking, our permanent residents have accepted our new initiatives, however, it remains difficult to convince the seasonal residents and weekend visitors that they too, play a role in sustaining our environment and lakes. An acceptance of new initiatives such as this in the future, plus other environment actions to reduce the human footprint may assist the municipality in some of these problem areas. The issues may not be entirely eliminated, but has the potential to be reduced to a manageable level.

D) Lessons Learned

10. What lessons were learned and what would you recommend doing differently? Remember, all nominations will become part of the Best Practices Library, so be sure to include specific information.

The process by which the District achieved the development of the Environmental Management Plan worked very well. A group of 12-15 individuals comprising the Environmental Advisory Committee provided a good cross section of ideas and concerns. Close contact with the Ministry of Environment was a definite benefit and can be used to demonstrate to the Province that such initiatives should be implemented on a provincial level.

Please submit your completed nomination package to:

E-mail: awards@municipalawards.ca or

Fax: Attn: Saskatchewan Municipal Awards Program, 306.798-2568; or

Mail: Saskatchewan Municipal Awards, Room 1010 – 1855 Victoria Avenue, Regina, SK S4P 3T2

Contact: Phone No. 306.525.4398

Thank you for submitting a nomination for the 2014 Saskatchewan Municipal Awards.

**A District Environmental Management Plan
for the Community of Lakeland, Saskatchewan
2015-2019**



A District Environmental Management Plan for the Community of Lakeland, Saskatchewan, 2015-2019

Prepared by:

Kyle Young, MCIP, RPP

For the:

District of Lakeland No. 521

Draft August 19, 2014



Author

Kyle Young, MCIP, RPP, Master of Sustainable Environmental Management Candidate
School of Environment and Sustainability
University of Saskatchewan

Project Advisor: Dr. Robert Patrick, Ph.D., MCIP, RPP
ENVS 992 Course Coordinator: Dr. Joseph Schmutz, Ph.D.

Disclaimer

The purpose of this report is educational and does not substitute for professional services in any areas, including for example architectural, civil, legal, mechanical or health related design. This work was completed on a voluntary basis for the District of Lakeland No. 521. The work served the experiential learning component of a course entitled ENVS 992, offered in the School of Environment and Sustainability's Masters of Sustainable Environmental Management program. No obligations or liabilities are implied.

Copyright

Copyright for the report remains with the author. The author may grant license for use upon written request. Conditions for use must be outlined in advance in a written agreement between the author and the organization for which the project was conducted. When a third party requests permission for use, the author, the organization and the School of Environment and Sustainability must approve this request in writing.

Permission to Use

Permission to use this report is hereby given to the District of Lakeland No. 521 and the School of Environment and Sustainability.

Photography


Unless otherwise indicated, photos were taken by the author.

Acknowledgments

With guidance from provincial staff, external organizations and the residents of Lakeland, the Working Group developed a draft of the plan for broader stakeholder consultation and review by partners of the District. The School of Environment and Sustainability, University of Saskatchewan, was (and is) a key partner in moving this project forward.

Members of the Working Group included individuals from the District Environmental Advisory Committee, Council, staff and the University of Saskatchewan:

John Stauffer, Councillor
Richard Afseth (EAC)
Isabel Afseth (EAC)
Al Christensen, Reeve
Rob Thurmeier (EAC)
Leslie Tuckek (EAC)
Dave Dmytruk (Staff)
Ron Martin (EAC)
Bruce Reeder (EAC)
Wayne Hyde (EAC)
Tom Laxdal (EAC)
Shirley Gange (EAC)
Craig Fisher (EAC)
Kyle Young (University)
Robert Patrick (University)





Executive Summary

And Message from the Chair of the Environmental Advisory Committee

August, 2014

To the Community of Lakeland

In the fall of 2013, the District of Lakeland No. 521 in conjunction with the Environmental Advisory Committee submitted an application to the University of Saskatchewan's School of Environment and Sustainability to engage the services of a graduate student that would assist the municipality in developing a sustainable long term Environmental Management Plan for the municipality.

The District was fortunate in being accepted for the University program from among 60 applicants and the services of graduate student Kyle Young were obtained.

Throughout the balance of 2013 and into the fall of 2014, the Environmental Advisory Committee with support from the District of Lakeland No. 521 and input from the Ministry of Environment, many meetings were held to provide sufficient background information for the development of the plan.

Throughout the discussions, numerous issues were identified that represented a concern for the municipality and the Committee in terms of water quality, forest management and watershed protection. These issues include the number and operation of watercraft, regional development, shoreline alterations, lake water quality and the degradation of ecologically sensitive areas to name a few. As stated, the Environmental Management Plan identifies and prioritizes these concerns so that the municipality may work towards eliminating or reducing the detrimental effects and thus providing a sustainable plan for future generations.

Sincere thanks and appreciation go out to the members of the Environmental Advisory Committee who took the time to volunteer their time and ideas in the development and future implementation of this plan.

Councillor John Stauffer, Chair
Environmental Advisory Committee
District of Lakeland

Table of Contents

1.0	Community Vision	3
1.1	Vision for the Environment	3
1.2	Strategic Goal	3
1.3	Plan Goals	3
2.0	Overview	4
2.1	District of Lakeland	4
2.2	Natural Environment	5
2.3	Environmental Management	7
2.4	Legislative Context	11
2.5	Provincial and Federal Interests	11
2.6	First Nations	12
3.0	Plan Development	14
3.1	Planning Process	14
3.2	Working Group Meetings	15
4.0	Community Sustainability	16
5.0	Management Areas	18
5.1	Sensitive Areas and Species	19
5.2	Land Use and Development	24
5.3	Controlling Drainage and Contamination	30
5.4	Land of Lakes	36
5.5	Responsible Recreation	44
5.6	Living With Wildlife	50
5.7	Northern Forests	53
5.8	Threats and Adaptation	58
6.0	Implementation	63
6.1	Implementation Strategy	63
6.2	Plan Review	66

Appendices


Appendix 1:	Administrative Map	68
Appendix 2:	Satellite Imagery 2011	69
Appendix 3:	Hydrology and Topography	70
Appendix 4:	Parks and Protected Areas.....	71
Appendix 5:	Representative Areas Network.....	72
Appendix 6:	Species At Risk	73
Appendix 7:	Commercial Forest Harvesting.....	75
Appendix 8:	Invasive Species	76

List of Figures

Figure 1:	Location Map of District	4
Figure 2:	Environmental Management Planning Process.....	14
Figure 3:	Lake Zonation.....	37

List of Tables

Table 1:	Lake Surface Areas	5
Table 2:	Environmental Issues with Priority Ranking	7
Table 3:	Priority Ranking Method.....	10
Table 4:	Working Group Meeting Details	15
Table 5:	Impacts of Environmental Degradation.....	16
Table 6:	Management Areas and Sections	18
Table 7:	Implementation Strategy.....	63



1.0 Community Vision


1.1 Vision for the Environment

1.2 Strategic Goal

In November 2013, the District released its very first [Strategic Plan](#), which serves as an overarching guidance document containing District goals, objectives and initiatives for implementation. The above goal is one of five pillars which, together, form the strategic vision established by District staff and Council.

1.3 Plan Goals

The following three goals for this plan were established by the Working Group and presented to all partners for consideration and confirmation:



2.0 Overview

2.1 District of Lakeland

The District of Lakeland No. 521 (“the District”) is one of 296 rural municipalities in the province, located in mid-central Saskatchewan approximately 200 kilometres north of Saskatoon (see Figure 1). The District is governed by a Reeve and five councillors, each of which represents one of five divisions in Lakeland. Administration of local bylaws, policies and services is carried out by staff in the District’s office located in the Village of Christopher Lake bordering the southern edge of Lakeland. Urban municipalities in the region include Prince Albert to the south, Candle Lake to the east and Waskesiu to the West. The only adjacent rural municipality is the Rural Municipality of Paddockwood No. 520. A map showing administrative boundaries, including the five nearby Indian Reserves, is attached as Appendix 1.




Figure 1. Location map of the District of Lakeland No. 521 (source: *Her Majesty in Right of Saskatchewan*).

The total area of the District is approximately 55,600 hectares (556 km²), measuring approximately 15 km wide by 50 km long. Since its incorporation in 1977, the District has grown to a year-round population of 884¹ but the seasonal influx in the summer months can exceed a population of 20,000. Between 2001 and 2011, the population grew by 33 percent and, like the rest of Canada, Lakeland has an aging population². Approximately 1,900 dwelling units can be found in the 16 unincorporated communities of Lakeland. Population projections completed as part of the strategic planning process undertaken by the District show that Lakeland could continue to increase in population to just under 1,200 residents before declining in 2031². Regardless of fluctuations or increases in populations over the next two decades, it is clear that this region of Saskatchewan and Lakeland, in particular, will continue to be a popular destination for tourists and full-time residents.

The tourism industry is one of the principal economic drivers in Lakeland. Recreational boating and fishing, hunting, back country hiking and camping, and all-terrain vehicle use are some of the activities rear-round residents, seasonal residents and tourists enjoy during the summer months. In the winter months, ice fishing and snowmobiling are popular recreational activities. The proximity of Prince Alberta National Park and the relatively short driving distances to larger centres like Prince Albert (30 minutes) and Saskatoon (1.5 hours) are also important reasons why people come from other areas of Saskatchewan and Canada to explore the wilderness experience offered in the Lakeland area. Other industries and major businesses in Lakeland include commercial logging, golf courses and resorts.

2.2 Natural Environment

Water Resources

The satellite imagery and topographic maps attached as Appendices 2 and 3, respectively, show general land cover characteristics and known water features. Of its total area, 6,410 ha (11.5%) is water bodies, including over 240 lakes and ponds. There are over 96 km of streams, creeks and other water courses. The majority of the District falls within the North Saskatchewan River watershed. Only a small area in the northeast corner of Lakeland drains north into the Churchill River watershed. The major water course in the area is the Spruce River which flows along the western boundary of the District in Prince Albert National Park. A section of the Spruce River flows into the southern tip of Anglin Lake, then continues on to the Spruce River dam where it flows south. Other notable water courses include Bittern Creek, Bitter Creek and Montreal Creek. Table 1 shows estimates of the surface areas of the seven largest lakes in Lakeland.

Table 1. Lake areas.

Lake	Area (ha)
Emma Lake	1,768
Anglin Lake	1,306
Christopher Lake	666
Oscar Lake	414
Sampson Lake	215
Marshall Lake	215
McPhee Lake	188



Spruce River in Prince Albert National Park near the western border of the District.

Land Resources

The District is located within the Boreal Plain Eco zone, on the southern edge of the Mid-Boreal Uplands ecoregion and the Emma Lake Upland landscape unit. Soils common to this ecoregion include glacial till, sandy soils and loamy grey soils³. Aspen, white and black spruce, poplar, tamarack, balsam fir, birch and jack pine are the dominant tree species in Lakeland^{3,4}. It is evident from the 2011 satellite image in Appendix 2 that cultivated land is not present in the District and that only a small portion of the total land base is occupied by commercial, residential or infrastructure land uses. The remainder of the District is either covered by water bodies or forested. Details concerning the extent of commercial forest harvesting are discussed in Section 5.7.3.

Wildlife and Fish

Examples of wildlife species that are likely to occur in Lakeland include white-tailed deer, mule deer, black bear, woodland caribou, elk, beaver, timber wolf, moose, coyote, northern flying squirrel and snowshoe hare^{3,4}. Bird species are plentiful – American redstart, white-throated sparrow, bufflehead, ovenbird and hermit thrush³. Lake trout, walleye, whitefish, perch and northern pike are also present in the ecoregion and, therefore, likely to occur in Lakeland. The diversity of plant and animal species is one of the reasons why this region of Saskatchewan is so valued by the people who live here. Lakeland is on the very edge of the boreal forests of North America and, given its size, is an important refuge for many species.

Parks and Protected Areas

11,365 ha (20.4%) of the District is designated as park or protected area. A map showing the areas designated as either park or protected area is attached as Appendix 4. Additionally, wildlife refuges and wildlife habitat protection areas are shown on the Representative Areas Network map attached as Appendix 5. The largest park fully located within the District is Great Blue Heron Provincial Park at 11,168 ha, which represents approximately 98 percent of the total area of parks or protected areas. The park was established in 2013. As a recreation park, the principal purpose of the Great Blue Heron Provincial Park is not to protect ecosystems or biodiversity. Fairy Island located in the centre of the northernmost basin of Emma Lake is a 52 ha wildlife refuge protected under the *Wildlife Act, 1998* and the corresponding Wildlife Management Zones and Special Area Boundary Regulations. The Christopher Lake Protected Area is 80 ha in area and is located adjacent to the southwest corner of Christopher Lake. This protected area was designated under the *Parks Act, 1986*. One wildlife habitat protection area aligning with the boundaries of a quarter section of land (65 ha) is located north of the Village of Christopher Lake.



2.3 Environmental Management

With the wilderness areas, boreal forests, rivers and lakes covering the landscapes of Northern Saskatchewan, it is easy to forget the fragility of those areas. With communities present in the North and the popularity of outdoor recreation, the ecological risks posed by human activities is a reality. It could seem as though with such a small population and the large expanse of natural areas that the impact should be low. However, the potential impact of humans on the environment is not always a product of *how many*. The ability of communities and human activities to adversely affect ecosystems also depends on the nature and intensity of the activity and the characteristics of the supporting ecosystem.

Lakes are one of the most valued natural features of Northern Saskatchewan and, consequently, are very popular places to live. The convenience and aesthetic values associated with living on the 'lakefront' cannot be understated. It provides property owners with exceptional views of the lake and allows ease of access for boating, swimming and other lake recreation opportunities. However, the shoreline areas surrounding lakes contain riparian ecosystems and the littoral zone, which are very sensitive to disturbances. These areas are critical to maintaining the health of the lake ecosystem. In this way, there is a conflict between the desire for lakeshore development and the need to protect the areas supporting the lake features desired by communities, such as clean water and healthy fish and animal populations.

If communities are to exist in Northern Saskatchewan and continue developing in the usual fashion, environmental impacts are likely to occur. Communities require land for homes, businesses and institutions, and natural areas like forests are often on the receiving end of disturbances caused by land clearing. Roads and other infrastructure are also created to provide access and services to those communities. The goal of environmental management, therefore, is to reduce the overall ecological footprint of communities, while allowing human settlements to co-exist with nature and continue to enjoy the benefits of living outside of urban areas. The aim of this plan is to manage human activities to reduce the ecological impacts, rather than eliminate those activities altogether. More importantly, a balance must be struck in which community growth is tempered by an underlying, fundamental respect for nature⁵. A list of the 25 environmental issues addressed in this plan is shown in Table 2.

Table 2. Environmental issues, priority ranking of threats and existing management actions.

Environmental Issue	Priority Rank of Threat	Existing Management Actions
Number and Operation of Motorized Watercraft	25	"Own Your Wake" signage at boat launches and various areas around the lakes. Public education and communication via newsletter, website and vacationland news.
Shoreline Alteration	25	Permits required by Water Security Agency. Public education.
Septic Tanks and Grey Water	20	On a complaint basis, inspections by the Ministry of Health. District bylaws in place to regulate liquid waste disposal.

Regional Development	20	Establishment of the Planning District with three other municipalities. Zoning Bylaw and Official Community Plan in place. Development officer on staff.
Degradation of Ecologically Sensitive Areas	20	Regulations in the Zoning Bylaw and OCP. Working in conjunction with the Ministry of Environment to address problem areas.
Exotic Invasive Species	20	Aquatic invasive species signage. Public education through the Environmental Advisory Committee.
Off-road Motorized Vehicles	15	Prohibition on public property. Public education through Enforcement & Protective Services. ATV bylaws in place – enforcement done on complaint basis.
District Development	15	Development Officer on staff. OCP and Zoning Bylaw regulate development.
Algae and Weed Growth	15	Occasional sampling of algae.
Sediment Drainage and Sedimentation	15	Public Works Department working with Water Security Agency on various drainage projects that affect our lakes.
Lake Water Quality	12	Periodic annual water testing on all lakes and submission to provincial laboratories for results. Monitoring of grey water and effluent into our lakes.
Forest Fire Management	12	No actions.
Lake Water Levels	10	Levels managed by the Water Security Agency.
Negative Wildlife Interactions	10	All concerns directed to the Ministry of Environment.
Petroleum-Based and Industrial Products	10	Public education through shoreline development permit issues by the District and Water Security Agency with enforcement from the Ministry of Environment.
Spruce Budworm and Infestations	10	District has hired consultant to provide reports of possible infestations and spraying programs.
Fertilizers, Pesticides and Herbicides	10	Public education through the Environmental Advisory Committee regarding water quality.
Solid and Liquid Waste	10	Controlled by bylaw. Municipal landfills and lagoons operated by District. Encouraging multilateral recycling.
Species at Risk	9	No actions.
Light and Noise Pollution	9	Recommendation contained in the OCP – dark sky lighting standards. Recommendations made on development and building

		permits.
Pressure from Provincial Park Expansion	8	District Council member of Park Advisory Committee to advance municipal concerns.
Commercial Forest Harvesting and Reforestation	8	District Council member representing the municipality on the Prince Albert Forest Management area advisory board (Sakaw Askiy)
Climate Change	8	No actions.
Communication Towers	6	Response to industry consultation.
Boat Launches and Marinas	2	Background Report to 2005 OCP and Zoning Bylaw provides guidance on lake carrying capacities and provides direction to Council for future expansions.

There are two types of environmental issues included in the plan. The first type of issue focuses on activities causing a variety of adverse effects within the natural environment. For example, ‘number and operation of motorized watercraft’ is an activity that affects the water column as well as the shoreline. By organizing issues in this manner, the cause is treated, rather than the symptom. The second type are those issues whose causes are so diverse that it is more reasonable to consider the condition or ecosystem parameter to be managed. ‘Degradation of ecologically sensitive areas’, for example, can be managed by designating and protecting those areas.

For each environmental issue identified, a ‘priority rank of threat’ was assigned (see method below), an objective was stated, and one or more management actions to achieve that objective were identified. Some environmental issues, such as ‘algae and weed growth’ and ‘climate change’ have only one management action assigned at this time. Other issues like ‘shoreline alteration’ and ‘off-road motorized vehicles’ have up to six actions or policies.



Four-spotted chaser (*Libellula quadrimaculata*).

Priority Ranking Method

The purpose of assigning a priority rank to a particular environmental issue (i.e. the threat) is to help establish priorities for environmental management. If an environmental issue is more likely to be an ecological threat within the planning timeframe and the impact is expected to be more severe, actions to address that issue might be more urgent. Likelihood of occurrence and impact of occurrence were ranked on a scale of one to five, as shown in Table 3. Priority rank values ranged from 2 to 25, with an average of 13.

Table 3. Tables and method used to assign priority rank of threat.

Likelihood of Occurrence	Impact of Occurrence				
	Insignificant 1	Minor 2	Moderate 3	Severe 4	Catastrophic 5
Most Unlikely 1	1	2	3	4	5
Unlikely 2	2	4	6	8	10
Likely 3	3	6	9	12	15
Probable 4	4	8	12	16	20
Almost Certain 5	5	10	15	20	25
Low Threat  Medium Threat  High Threat 					
Likelihood					Value
Most unlikely – extremely small chance of happening in the next 4-5 years					1
Unlikely – possible to occur in the next 4-5 years					2
Likely – evenly split between likely and not likely to happen in the next 4-5 years					3
Probable – is expected to happen in the next 4-5 years					4
Almost certain – confident this will happen at least once in the next 4-5 years					5
Impact					Value
Insignificant – no human health/environment risk;					1
Minor – short term or localized human health/environment risk e.g. aesthetic/noise					2
Moderate - widespread aesthetic issues or long term non-compliance, not health-related					3
Severe – actual or potential short to medium term health effects (human or ecosystem)					4
Catastrophic – actual illness or potential long term health effects (human or ecosystem)					5

2.4 Legislative Context

Rural municipalities are a form of local government in Saskatchewan responsible for the administration and provision of local services that benefit the residents within their borders. They govern the rural areas outside of the boundaries of urban municipalities (e.g. cities and towns). Local governments are also granted certain powers to create bylaws regulating land use, development and other aspects of community growth. As ‘creatures of the province’, rural municipalities in Saskatchewan receive their regulatory authority from provincial legislation, including the *Planning and Development Act, 2007* and the *Municipalities Act, 2006*. For example, the *Planning and Development Act, 2007* authorizes the District to adopt a zoning bylaw, establishing land use zones for all land within Lakeland, as well as development restrictions and standards.

The District, property owners and businesses also have responsibilities and obligations under various other provincial and federal legislation. The provincial *Environmental Management Act, 2010* and the federal *Fisheries Act* are two such pieces of legislation with implications for environmental protection in the District.

2.5 Provincial and Federal Interests

The provincial and federal governments both have interests with respect to environmental management in Lakeland and this plan acknowledges those interests. The plan does not seek to displace management actions already being undertaken by provincial and federal ministries and agencies. Rather, it seeks to complement programs already in place or currently being developed and to promote initiatives and policies that are locally relevant. The District also acknowledges that local environmental management planning cannot interfere with areas of provincial jurisdiction. Provincial Crown lands cover the majority of the municipality and bylaws or regulations created by the District may only apply to Crown land where there is not a conflict with provincial interests. With respect to the federal government, Fisheries and Oceans Canada administers the *Fisheries Act* by protecting fish habitat from harmful alteration, disruption or destruction. This means that approvals from Fisheries and Oceans Canada, as well as the Saskatchewan Water Security Agency is likely required for most types of lakeshore development.

Two of the 14 Statements of Provincial Interest are directly relevant to the environmental management work being undertaken by the District, as follows:

1. Biodiversity and Natural Ecosystems:

“To assist in meeting the province’s interests in biodiversity and natural ecosystems, planning documents and decisions shall, insofar as is practical:

- 1) Consider the ecological value, integrity and management of wetlands, riparian areas, significant natural landscapes and regional features, and provincially designated lands;
- 2) Minimize, mitigate or avoid development impacts to safeguard the ecological integrity of wetlands, riparian areas, significant natural landscapes and regional features, and provincially designated lands;

- 3) Consider dedication of critical or threatened habitat and environmentally sensitive areas as environmental reserve;
- 4) Recognize Crown rights and responsibilities to regulate activities related to the utilization and protection of forest resources on Crown forest lands; and
- 5) Recognize and support provincial planning initiatives contributing to ecological integrity.”¹

2. Shore Land and Water Bodies:

“To assist in meeting the province’s water bodies and shore lands interests, planning documents and decisions shall, insofar as is practical:

- 1) Consider the impacts of development on associated water bodies and shore lands, aquatic life and habitat;
- 2) Minimize, mitigate or avoid potential development impacts to waterways, watersheds, water bodies, wetlands, shore lands, aquifers and groundwater;
- 3) Integrate provincial watershed management planning considerations into local and regional planning; and
- 4) Preserve and enhance public access to water bodies, shore lands and reservoirs for recreational use.”^{6 (p.17 & 86)}

The District and the province are partners with respect to environmental management in Lakeland. It is acknowledged that the provincial government has rights and responsibilities that are different than those of the District but by working together, mutual goals concerning environmental protection can be achieved in a more harmonious manner.

2.6 First Nations

Local First Nations will be an important partner with respect to environmental stewardship initiatives in Lakeland. As long standing stewards of the natural environment, First Nations’ knowledge of sustainable use and practices are particularly relevant to local environmental management. The District falls within the Treaty 6 (1889) area and the local First Nations are the Montreal Lake Cree Nation. The Montreal Lake Cree Nation is a band member of the Prince Albert Grand Council. Traditional use of the land by the Montreal Lake Cree Nation includes trapping, fishing, berry and medicine gathering, hunting and ceremonial purposes⁷.

2.7 References

- 1) Government of Saskatchewan (2012) *2011 Census of Canada: Saskatchewan Population Report*. Bureau of Statistics, Ministry of Finance, Government of Saskatchewan. Accessed online at <http://www.stats.gov.sk.ca/pop/>.
- 2) District of Lakeland No. 521 (2013) *District of Lakeland Strategic Plan*. Prepared by Crosby Hanna & Associates for the District of Lakeland No. 521.
- 3) Saskatchewan Conservation Data Centre (2014) *Ecozone Boreal Plan, Ecoregion Mid-Boreal Upland*. Saskatchewan Conservation Data Centre. Accessed online at http://www.biodiversity.sk.ca/ecoregions/MidBoreal_Upland.htm.
- 4) District of Lakeland No. 521 (2005) *Rural Municipality of Lakeland Municipal Planning Program Background Report*. Prepared by Crosby Hanna & Associates for the District of Lakeland No. 521.
- 5) Schmutz, J.K. (2014) Comments on draft District of Lakeland Environmental Management Plan. Dr. Joseph Schmutz, School of Environment and Sustainability, University of Saskatchewan.
- 6) Government of Saskatchewan (2012) *Planning Handbook: Companion Document to the Statements of Provincial Interest*. Ministry of Municipal Affairs, Government of Saskatchewan.
- 7) Prince Albert Grand Council (20014) *Montreal Lake Cree Nation*. Prince Albert Grand Council. Accessed online at <http://www.pagc.sk.ca/first-nations/montreal-lake/>.

3.0 Plan Development

3.1 Planning Process

The planning process adopted for this plan follows the five stages outlined in Figure 2. The Working Group primarily consisted of members of the District's Environmental Advisory Committee, as well as Council, staff and representatives from the University of Saskatchewan (15 total members). The draft plan prepared by the Working Group, including the list of environmental issues, goals, objectives and management actions, was intended to be preliminary in nature. It was expected that the draft plan would serve as a 'jump start' to future discussion about environmental planning and management in Lakeland, with the possibility of substantial changes following public review and partner engagement.




Figure 2. Environmental management planning process.

Stage 5 has two components: short term review and long term review and updates. On a smaller time scale, the draft plan prepared at stages 4 and 5 was intended to be the point at which broader review by the public and partners could occur. On an annual basis thereafter, the plan will be reviewed by the Environmental Advisory Committee to ensure that objectives, actions and timing are still appropriate. Following a five year implementation of the plan, a new Working Group will be formed to conduct a major review and updates.

3.2 Working Group Meetings

Five Working Group meetings were held in Lakeland, as detailed in Table 4. An average of 11 members attended meetings, with each meeting lasting approximately 5 hours.

Table 4. Working Group meeting details.

Meeting	Date	Accomplishments
1	May 9, 2014	Clarified list of environmental issues and concerns.
2	May 22, 2014	Assigned a priority rank of threat to each environmental issue.
3	June 13, 2014	Assigned management actions.
4	June 26, 2014	Assigned management actions and generated potential goals and objectives.
5	July 11, 2014	Determined implementation timing, partners and potential funding sources.



First Working Group meeting held on May 9, 2014 (photo: Wayne Hyde).

4.0 Community Sustainability

Sustainability is fundamental to this plan and a core value of the District with respect to environmental protection and conservation. In fact, the potential absence of community sustainability in Lakeland is one of the motivations for initiating an environmental management planning process.

The natural environment is the one area in which the experiences of residents and their vision for Lakeland now and in the future begins to resemble a common interest. It is reasonable to suggest that the presence of 'nature' in Northern Saskatchewan and the District, in particular, is valued by almost everyone who lives here and is one of the most important reasons why people come to this area. Whether it is to settle permanently or recreate during the summer months, those values have drawn people to Lakeland. It is important to note that the way in which nature is confronted by different individuals and groups does vary (e.g. choosing whether or not to drive an All Terrain Vehicle through a wetland; whether to build a house next to the lake or in the upland areas). However, everyone in Lakeland shares the same nature – its forests, lakes, streams, fish and wildlife. Therefore:

Community sustainability in Lakeland is concerned with the degree to which the collective actions of its residents and other stakeholders are degrading nature to the disadvantage of the current and future generations, from ecological, economic and social perspectives.

By listing a few of the important implications of environmental degradation from the three perspectives identified in the above definition, the connection between community sustainability and environmental management is established (see Table 5).

Table 5. Examples of impacts of environmental degradation grouped as economic, social or ecological.

Perspective	Examples of Impacts
Economic	- Loss of property values (e.g. shoreline erosion and cabins on lakefront lots) - Reduction in tourism opportunities (e.g. public beaches with Zebra Mussels) - Increased property taxes to address issues (e.g. Spruce Budworm)
Social	- Human health threatened (e.g. poor water quality) - Lack of community cohesion between year-round and seasonal residents - Loss of spiritual and psychological benefits from enjoying nature
Ecological	- Loss of ecosystem services (e.g. water purification, shoreline stability, carbon sequestration) - Biodiversity loss and endangered species

It is acknowledged that our current actions – the way we choose to interact with the natural environment at present – have implications for the future condition of ecosystems. It is, therefore, in our best interests to control our own actions now to ensure that we can continue to enjoy life in Lakeland, while also ensuring that future residents will be able to experience the same benefits from

nature. This approach is consistent with Canadian and internationally-recognized definitions of sustainability, which place the emphasis on conservation, rather than strict preservation or protection precluding community growth and prosperity. The federal government, for example, defines sustainable development as an approach that “meet[s] the needs of today without compromising the needs of future generations. It is about improving the standard of living by protecting human health, conserving the environment, using resources efficiently and advancing long-term economic competitiveness. It requires the integration of environmental, economic and social priorities into policies and programs...”³. Similarly, a definition widely recognized internationally states that “sustainable development is development that meets the needs of the present without compromising the ability of future generations to meet their own needs”⁴.

4.1 References

- 1) Government of Canada (2014) *Sustainable Development*. Environment Canada, Government of Canada. Accessed online at <http://www.ec.gc.ca/dd-sd/>.
- 2) United Nations (1987) *Our Common Future: World Commission on Environment and Development*. United Nations. Accessed online at <http://www.un-documents.net/ocf-02.htm>.

5.0 Management Areas

The 25 environmental issues are grouped into eight management areas, as shown in Table 6. This is for convenience and reference only.

Table 6. Management areas, environmental issues and corresponding section numbers.


Management Areas and Environmental Issues	Section #
Sensitive Areas and Species	5.1
Degradation of Ecologically Sensitive Areas	5.1.1
Species at Risk	5.1.2
Land Use and Development	5.2
District Development	5.2.1
Regional Development	5.2.2
Solid and Liquid Waste	5.2.3
Communication Towers	5.2.4
Controlling Drainage and Contamination	5.3
Petroleum-Based and Industrial Products	5.3.1
Fertilizers, Pesticides and Herbicides	5.3.2
Sediments Drainage and Sedimentation	5.3.3
Septic Tanks and Grey Water	5.3.4
Land of Lakes	5.4
Shoreline Alteration	5.4.1
Lake Water Quality	5.4.2
Algae and Weed Growth	5.4.3
Lake Water Levels	5.4.4
Boat Launches and Marinas	5.4.5
Responsible Recreation	5.5
Offroad Motorized Vehicles	5.5.1
Number and Operation of Motorized Watercraft	5.5.2
Pressure from Provincial Park Expansion	5.5.3
Living With Wildlife	5.6
Negative Wildlife Interaction	5.6.1
Light and Noise Pollution	5.6.2
Northern Forests	5.7
Spruce Budworm and Infestations	5.7.1
Forest Fire Management	5.7.2
Commercial Forest Harvesting and Reforestation	5.7.3
Threats and Adaptation	5.8
Exotic Invasive Species	5.8.1
Climate Change	5.8.2



5.1.1 Degradation of Ecologically Sensitive Areas

Description and Ecological Impacts

'Ecologically sensitive area' (ESA), also known as a sensitive ecosystem, is a broadly used term with different meanings depending on the context in which it is being used. ESAs are usually more fragile than surrounding areas¹ because small environmental changes can result in major changes within the ESA. Some ESAs may take longer to re-establish (if at all) after being damaged or removed. Furthermore, ESAs can also support a greater biodiversity² than surrounding areas and may provide habitats for rare or endangered species not found anywhere else in Lakeland. Some examples of ESAs include wetlands, streams, riparian areas and old growth forests, all of which can be found in the District. Since ESAs have significant ecological value, human activity resulting in their degradation or destruction is of particular concern. If these areas are not specifically considered and monitored, the implications could extend beyond their boundaries by affecting plant and wildlife populations¹.



An example of a wetland ecosystem in the District.

Management Considerations

Under the *Planning and Development Act, 2007*, the District can establish environmental reserves or special zoning covering ESAs, along with specific siting and development standards for those areas. Minimum setback and similar regulations would serve to help protect ESAs from encroaching development and other forms of human activity, such as recreation. Communicating the special importance of these fragile ecosystems to Lakeland's residents will help bridge the knowledge gap. Short educational videos placed on a municipal website is a form of environmental communication being explored by local governments in recent years.

5.1.2 Species at Risk

Description and Ecological Impacts

There are different categories of at-risk species of plants and animals. In Canada, the Committee on the Status of Endangered Wildlife in Canada (COSEWIC) uses seven categories, from 'not at risk' to 'extinct'. A list of some of the species at risk that are most likely to occur in Lakeland is included in Appendix 6. Listed are 42 different species of mosses, mammals, birds, fishes, amphibians, arthropods and vascular plants that are of special concern, threatened or endangered under the *Wildlife Act, 1998*³, COSEWIC or the *Species at Risk Act (SARA)*⁴. Some species are at risk because the habitats on which they depend are disappearing. For example, deforestation of Lakeland's boreal forests, the principal habitat of the boreal mountain caribou, results in habitat fragmentation and a reduction in the usefulness of remaining habitat patches⁵. This means that caribou populations that may have frequented Lakeland in the past would be forced to search for new habitat elsewhere (if those other areas are not already occupied by different caribou populations). Other species may be directly harvested or occur in spatially limited areas (e.g. small wetlands or riparian areas), making them particularly sensitive to development activities.



Fairy slipper (*Calypso bubosa*) (left) (A), boreal woodland caribou (*Rangifer tarandus caribou*) (right) (B).

The issue of species at risk is symbolic of a trend toward broader species losses. Protecting biodiversity within the District requires that local actions degrading habitats or threatening species be altered in such a way that considers the impacts to at-risk flora and fauna. Governments recognize that healthy ecosystems – essential for providing ecosystem services (e.g. land stability, crop pollination, water purification and clean air) – require protection of the species comprising those ecosystems⁶.

Management Considerations

Since habitat loss is a threat to species at risk, identifying and protecting habitats used by those species is important. Some of the species at risk listed under SARA have had recovery strategies developed for them, including the Eskimo Curlew (*Numenius borealis*)⁷. Within those strategies, critical habitat for certain species is detailed, which could inform local protection efforts. Confirming which species at risk occur or are likely to occur in Lakeland will allow the District to effectively communicate that information to residents.

5.1.3 References

- 1) Government of British Columbia (2004) *Environmental Best Management Practices for Urban and Rural Land Development in British Columbia*. Environmental Stewardship Branch, Ministry of Environment, Government of British Columbia. Accessed online at http://www.env.gov.bc.ca/wld/documents/bmp/urban_ebmp/urban_ebmp.html.
- 2) City of Nanaimo (2014) *Environmentally Sensitive Areas*. City of Nanaimo. Accessed online at <http://www.nanaimo.ca/EN/main/departments/Community-Planning/Environmental-Planning/ESAs.html>.
- 3) Government of Saskatchewan (2013) *Species at Risk*. Ministry of Environment, Government of Saskatchewan. Accessed online at <http://www.environment.gov.sk.ca/Default.aspx?DN=c2e39ae8-cbf1-4f07-8d9a-b50ce3f4fd01>.
- 4) Government of Canada (2014) *Species List*. Species at Risk Public Registry, Government of Canada. Accessed online at http://www.sararegistry.gc.ca/species/default_e.cfm.
- 5) Arlt, M.L. and M. Manseau (2011) Historical changes in caribou distribution and land cover in and around Prince Albert National park: land management implications. *Rangifer*, 19: 17-31.
- 6) Government of British Columbia (2014) *Protecting Vulnerable Species: A Five-Year Plan for Species at Risk in British Columbia*. Ministry of Environment & Ministry of Forests, Lands and Natural Resource Operations, Government of British Columbia. Accessed online at http://www.env.gov.bc.ca/atrisk/5_yr_plan/.
- 7) Government of Canada (2007) Recovery Strategy for the Eskimo Curlew (*Numenius borealis*) in Canada. Environment Canada, Government of Canada. Accessed online at from <https://www.library.yorku.ca/find/Record/2048414>.

Photo Sources:

- (A) <http://www.essencesonline.com/Alaskan-research.htm>
(B) <http://caribouandyou.ca/about-woodland-caribou.html>

5.2 Land Use and Development




5.2.1 District Development

Description and Ecological Impacts

This environmental issue refers to all types of development in the District, including land clearing for subdivisions, construction or erection of buildings and other structures, creation of recreational facilities and construction of infrastructure (e.g. road and utility corridors).

The ecological degradation caused by land development can be substantial¹, either directly or indirectly. When land is cleared to support development, the existing vegetation and top soil layers containing microorganisms are typically stripped away for engineering and convenience purposes. This effectively eliminates local plant and animal life during the construction phase. If this occurs on green field sites or in ecologically sensitive areas, biodiversity loss is experienced at the landscape level because forests and sensitive areas provide habitat for many species. Land clearing has the effect of fragmenting those habitats¹.



Highway 953 in Lakeland.

Management Considerations

A number of existing District bylaws, regulations and policies already serve to protect the natural environment. The District's Development Plan was adopted by bylaw in July 2005². A Development Plan is a local government document similar to an Official Community Plan that includes short and long range policies for land use, development and community growth. The District's Zoning Bylaw specifies current planning regulations and can be used to control the use of land and siting of new developments. Where trees have been removed during development processes, replanting of those areas with native tree species will help regenerate natural areas, providing habitat for plant and animal species.

5.2.2 Regional Development

Description and Ecological Impacts

The first concern with respect to this issue is that the natural areas and ecological processes in the region do not recognize administrative boundaries. What is occurring within the District will have environmental implications beyond its boundaries and vice versa. Some of the water bodies and water courses such as Anglin Lake and the Spruce River flow between the District and external areas like Prince Albert National Park. Transportation corridors, including Highway 2 (Canam Highway), bisect the District and connect with other areas in the region.

The second concern is that development and growth in neighbouring jurisdictions could place additional recreational use pressures on Lakeland as a destination community. The District of Lakeland borders the Rural Municipality of Paddockwood No. 520 to the south and east, Prince Albert National Park (federal jurisdiction) to the west and the Northern Administration District to the north. The Rural Municipality of Shellbrook No. 493 is southwest of Lakeland and the Rural Municipality of Buckland No. 491 is southeast of Lakeland.

An increased human presence in the area resulting from regional development, such as new residential subdivisions, means that the ecological impacts associated with that presence will likely increase as well.

Management Considerations

Regional discussion and cooperation will help create a dialogue focused on the environmental issues facing Lakeland and the region. Exotic invasive species is one area in which coordinated efforts to prevent introductions is critically important to success.

5.2.3 Solid and Liquid Waste

Description and Ecological Impacts

The vast majority of solid waste and liquid waste is produced by the residential component of Lakeland's land base. The District operates a municipal landfill site and has implemented a roadside garbage collection program for all of Lakeland's residents. In 2014, the District retained the services of a consultant to complete a feasibility study to determine the capacity of the existing landfill site and whether a new site is a realistic option. Landfills produce emissions that are harmful to the natural environment and human health, including particulate matter, volatile organic compounds and leachates^{3,4}. Leachates containing xenobiotic organic compounds that enter water courses or water bodies pose a risk to water quality^{3,4}. Waste decomposing in landfills also emits substantial quantities of methane gas – a potent greenhouse gas – that is contributing to global climate change.



Recycling containers in the region.

Management Considerations

Since most of the waste in the District is household and landfills have an adverse ecological impact on soils, the air, and surface/ground waters, the first priority is to reduce the amount of waste being produced. Composting and recycling are strongly encouraged and the District will communicate that message to Lakeland's residents. It is up to residents and businesses to be leaders in terms of local-scale recycling efforts in Saskatchewan. Given that a large proportion of household waste is compostable, backyard composting is an effective way of reducing waste sent to the landfill. However, backyard composting containers that are used improperly will attract unwelcome animal guests. Disseminating information about effective composting techniques will ensure that residents can enjoy the benefits of composting, while avoiding negative wildlife interactions.

5.2.4 Communication Towers

Description and Ecological Impacts

'Communication tower' refers to any form of radio- or tele-communication facility, such as the cellular tower shown in the photo to the right (located in Lakeland). Increased demand in Canada for wireless technology means that there is an inherent corresponding increased need for communications towers⁵. The land clearing activities associated with communication towers are concerning because they result in the displacement of any existing plant communities and all species inhabiting those areas. This concern is heightened if towers are proposed in sensitive areas, including habitats necessary for rare, threatened or endangered species. Substantial avian mortality also occurs when birds collide with the tower structures and guy wires⁶. At night, nocturnal migratory birds can be attracted to the lights on the structures, resulting in a higher frequency of collisions⁶.

The District is entitled to consultation under federal policies and when industry proponents present proposals for Lakeland, the District can provide any environmental information it has, as well as request that only low ecological impact practices be used.

Management Considerations

Regulation of communication towers are under the exclusive jurisdiction of the federal government. Specifically, Industry Canada is responsible for administering the requirements of the *Radiocommunication Act* and for permitting new installations. In addition, Industry Canada establishes the standard public consultation protocol and policies for local government involvement with new proposals. As of July 15, 2014, the new edition of the protocol – CPC-2-0-03 – Radiocommunication and Broadcasting Antenna Systems – came into effect⁵.



5.2.5 References

- 1) Brody, S. (2013) The characteristics, causes, and consequences of sprawling development patterns in the United States. *Nature Education Knowledge*, 4(5): 2.
- 2) District of Lakeland No. 521 (2005) *Development Plan*. District of Lakeland No. 521. Accessed online at <http://www.lakeland521.ca/bylaws.php>.
- 3) Matejczyk, M., Plaza, G.A., Nalecz-Jawecki, G., Ulfig, K. and A. Markowska-Szczupak (2011) Estimation of the environmental risk posed by landfills using chemical, microbiological and ecotoxicological testing of leachates. *Chemosphere*, 82: 1017-1023.
- 4) Slack, R.J., Gronow, J.R. and N. Voulvoulis (2005) Household hazardous waste in municipal landfills: contaminants in leachate. *Science of the Total Environment*, 337: 119-137.
- 5) Government of Canada (2014) *Facts About Towers - For Citizens*. Industry Canada, Government of Canada. Accessed at <http://www.ic.gc.ca/eic/site/icgc.nsf/eng/07422.html>.
- 6) Longcore, T., Rich, C., Mineau, P., MacDonald, B., Bert, D.G., Sullivan, L.M., Mutrie, E., Gauthreaux Jr., S.A., Avery, M.L., Crawford, R.L., Manville II, A.M., Travis, E.R. and D. Drake (2013) Avian mortality at communication towers in the United States and Canada: which species, how many, and where? *Biological Conservation*, 158: 410-419.



5.3.1 Petroleum-Based and Industrial Products

Description and Ecological Impacts

Accidental or intentional spillage of gasoline, diesel and other petroleum-based products is not uncommon. Indeed, when refuelling our cars, trucks, boats and motorized equipment, minor spills are sometimes difficult to avoid. We use lubricants, oils and cleaning products on a daily basis for our households and equipment. However, many of those products end up in the natural environment in one form or another and they have the potential to cause ecological degradation when they contaminate soils and water. Some of the most harmful pollutants in petroleum products include aromatic hydrocarbons (e.g. benzene, ethylbenzene, toluene and xylene)¹. Even small quantities of petroleum products like gasoline and diesel can pollute soils and water bodies².



Fuel spill in a water course (A).

Management Considerations

Not all cleaning products are petroleum-based. There are plant-based, biodegradable alternatives that have a lower impact on the natural environment. Where possible, those products should be encouraged and the District will act as a leader in this regard within its own operations. Since larger spills are likely to occur at industrial and capital project sites like highways and transmission corridors, the province is a key partner. The District is well prepared to provide provincial ministries and proponents of larger projects with upper-level information concerning local drainage patterns. The District can also present its environmental concerns about existing or abandoned industrial sites that may be contaminated with petroleum-based products to the province.

5.3.2 Fertilizers, Pesticides and Herbicides

Action 4. Research best practices and implement those practices within District operations.

Description and Ecological Impacts

Fertilizers, pesticides and herbicides are products used to eliminate unwanted pests and weeds, while allowing the plants we do want to thrive in landscapes that do not provide sufficient minerals and nutrients for growth. Many fertilizers are chemical-based and contain a nutrient that may not occur naturally in sufficiently high concentrations to support the plant (e.g. nitrogen and phosphorus). Residential lawns, gardens and golf courses often require substantial amounts of fertilizers for maintenance. However, not all of the fertilizers applied to the soil is taken up by a plant's root system. Fertilizers can be carried away in storm water runoff into lakes and streams, where it can have negative ecological effects. Phosphorus is often a limiting nutrient for aquatic vegetation and lake algae, meaning that increased concentrations can lead to algal blooms and excessive plant growth in lakes. This process – known as eutrophication – reduces the amount of dissolved oxygen in the water which, in turn, affects other elements of the lake ecosystem.

Pesticides and herbicides may have the effect of killing species other than the target species during application. Similarly, and like fertilizers, chemical-based pesticides and herbicides may leach into soils and surface/ground water, where it could be toxic to other organisms. Compounding this issue is the existing impact of atmospheric deposition of nutrients³.

Management Considerations

Two realistic options exist for mitigating the adverse ecological effects of fertilizers, pesticides and herbicides. First, reducing the amount of these types of products can be achieved by encouraging low maintenance landscape design. Some plant species require fewer fertilizers and native species are already well-adapted to the biogeoclimatic conditions in Lakeland. The District could also explore the possibility of a ban on the cosmetic use of pesticides in the Lakeland. Second, there are alternative fertilizers, pesticides and herbicides that break down more quickly in the environment and that may not have a chemical component. For example, biological control can be an effective method of controlling pests in certain circumstances. The District will be a leader by researching more environmentally responsible options and implementing those techniques.

5.3.3 Sediment Drainage and Sedimentation

Description and Ecological Impacts

Sediments are individual particles of soil, including grains of sand, loam and clay that are typically transported by water (or wind) and deposited. Grains of sand are heavier and usually settle to the bottom of a lake, river or stream relatively quickly but loams and clays contain finer particles that can be transported far greater distances, taking longer to settle. Sediments are sometimes picked up by flowing water during storm water events via overland flow or from the beds of rivers, streams and ditches when unusually high volumes of water are flowing.

When land is cleared of vegetation and the top soil layer, loose soil particles are exposed to increased water flow and sediments are picked up and suspended (as shown on the cover photo on page 30). If these sediments are carried into water bodies such as lakes and wetlands, they can alter the ecology of those systems. Sediments suspended in the water column increase turbidity, which reduces the amount of sunlight available for aquatic plants (primary producers).

Management Considerations

Tree and vegetation retention during the development process provides a natural barrier slowing down the velocity of water as it flows over land. Where significant clearing has taken place, natural vegetation should be replanted. A storm water management plan or system may be required at the time of subdivision or development in order to address onsite storm water drainage. Given the importance of lakes to everyone in Lakeland, participation of all stakeholders, including forest tenure holders, in sediment control is warranted.



Sediments carried in a stream (B).

5.3.4 Septic Tanks and Grey Water

Description and Ecological Impacts

Many of the residences in Lakeland, including those located on lakeshore sites, use an onsite septic system to dispose of sewage. The septic tank portion of the system holds the solid waste. With age, these tanks break down and develop faults such as cracks which may begin to leak; however, since the tanks are buried, it is impossible to know if it is leaking unless a test is conducted. If sewage is leaking from a tank, it will enter the surrounding soil and could contaminate ground water or a nearby water body. Water that has been used in the household – “grey water” – is sometimes disposed of in the septic field or directly onto the ground or into the lake. Household sewage entering lakes and other water bodies poses a significant ecological risk⁴. Sewage contains high concentrations of nitrogen, phosphorus and other nutrients which can be toxic to fish and aquatic life⁴. The increased nutrient concentrations leads to a higher risk of eutrophication with the potential to severely impact biodiversity⁴. Furthermore, the effect of septic system effluent on water quality increases during the low flow summer months⁵. Septic waste also contains bacteria like *E. coli* that are a threat to human health as well⁶.



Sewage leaking from a faulty septic tank (C).

Management Considerations

Reviewing and approving new private on-site septic systems is the responsibility of the provincial Ministry of Health. Ministry of Health Inspectors will also respond to complaints regarding existing septic systems⁷. Existing septic tanks that may be leaking or faulty should be tested and replaced, if necessary. Voluntary testing is encouraged and the District will investigate the feasibility of conducting a pilot program to determine the extent of potential widespread problems in Lakeland. New residential construction should be able to demonstrate an adequate grey water disposal system.

5.3.5 References

- 1) Wolicka, D., Suszek, A., Borkowski, A. and A. Bielecka (2009) Application of aerobic microorganisms in bioremediation in situ of soil contaminated by petroleum products. *Bioresource Technology*, 100: 3221-3227.
- 2) Government of Canada (2014) *Petroleum and Allied Petroleum Products Storage Tanks Regulations*. Environment Canada, Government of Canada. Accessed online at <http://www.ec.gc.ca/rs-st/>.
- 3) Elser, J.J., Anderson, T., Baron, J.S., Bergstrom, A-K., Jansson, M., Kyle, M., Nydick, K.R., Steger, L. and D.O. Hessen (2009) Shifts in lake N:P stoichiometry and nutrient limitation driven by atmospheric nitrogen deposition. *Science*, 326: 835-837.
- 4) Withers, P.J.A., Jarvie, H.P. and C. Stoate (2011) Quantifying the impact of septic tank systems on eutrophication risk in rural headwaters. *Environment International*, 37: 644-653.
- 5) Withers, P.J.A., May, L., Jarvie, H.P., Jordan, P., Doody, D., Foy, R.H., Bechmann, M., Cooksley, S., Dils, R. and N. Deal (2012) Nutrient emissions to water from septic tank systems in rural catchments: Uncertainties and implications for policy. *Environmental Science & Policy*, 24: 71-82.
- 6) Government of Saskatchewan (n.d.) *Septic Waste Disposal in Saskatchewan*. Ministry of Environment, Government of Saskatchewan. Accessed online at <http://www.health.gov.sk.ca/private-sewage-systems>.
- 7) Government of Saskatchewan (2012) *Private Sewage Systems*. Ministry of Health, Government of Saskatchewan. Accessed online at <http://www.health.gov.sk.ca/private-sewage-systems>.

Photo Sources:

- (A) http://www.pennlive.com/midstate/index.ssf/2011/04/crews_work_to_clean_up_susqueh.html
(B) <http://www.lincoln.ne.gov/city/pworks/watrshed/educate/pollutants/>
(C) <http://www.suffolkcountyny.gov/stormwater/StormwaterIssues/SepticSystemsandSuffolkCounty/IdentifyingSepticSystemFailure.aspx>



5.4.1 Shoreline Alteration

Description and Ecological Impacts

For the purposes of this plan, 'shoreline' refers to a broad area at the edge of lakes and other water bodies, from the shallow waters where docks are located, through the foreshore to adjoining terrestrial areas above the high water mark (see Figure 3). The larger lakes in the District have substantial shoreline areas, making shoreline alteration a prominent concern. Christopher Lake, for example, contains over 18 km of shoreline and the three basins of Emma Lake collectively contain over 67 km of shoreline.




Figure 3. Lake zonation¹.

The riparian area is an ecologically sensitive and important area adjacent to wetlands, lakes, other water bodies and water courses. It is a transitional zone that is neither terrestrial nor aquatic, as it can be submerged or dry during certain times of the year. Riparian areas contain a unique mix of plant species adapted to these fluctuations², extending from the water's edge to the edges of upland environments. Maintaining the riparian area in good condition is essential to a healthy lake ecosystem. However, too often these areas are overlooked and cleared or built upon during the development process. The photo below shows an example of lakeshore development that has resulted in the destruction of the riparian area. The littoral zone of the lake is also ecologically important. A substantial amount of the biodiversity within lakes is found in the littoral zone because this is where aquatic plants and algae can take advantage of light for primary production³.

Management Considerations

The provincial *Environmental Management and Protection Act, 2010* gives authority to the Saskatchewan Water Security Agency to protect aquatic habitats, as well as the banks and boundaries of Crown surface waters⁴. The Saskatchewan Water Security Agency seeks to protect aquatic habitats by requiring land owners and developers to obtain an Aquatic Habitat Protection Permit prior to undertaking work in or near lakes and other water bodies. For example, construction of retaining walls, docks or boat launches, or removal of vegetation by mechanical means requires a permit approved by the Agency. Approval from Fisheries and Oceans Canada may also be required under the *Fisheries Act* for projects in or near water courses or water bodies. Land owners and developers should contact the local Fisheries and Oceans Canada office to ensure they are meeting all federal fish habitat protection requirements. The District will endeavour to provide land owners and developers with information on provincial and federal approval processes required for projects near water.



Lakeshore development resulting in complete riparian area destruction.

5.4.2 Lake Water Quality

Description and Ecological Impacts

Water quality is a term used to describe the condition of a body of water such as a lake and is dependent on a number of variables, including the quantity of microbes (e.g. viruses, bacteria and protozoa), nutrients and chemicals, taste, odour, colour and turbidity⁵. The quality of water is also relative to its use. For example, the acceptable level of water quality can be lower for agricultural or recreational uses than for use as drinking water. The characteristics of and inputs to a particular lake will influence its water quality⁶. Pesticides, fertilizers, herbicides, household products, increased sediment runoff and sewage can substantially lower water quality, adversely affecting the health of the lake ecosystem. A high quality of water in our lakes will help ensure that aquatic ecosystems remain healthy⁷. Large algae blooms, for example, are both the result of, and contributor to, deteriorating water quality in lakes. Water quality will not only influence elements of the ecosystem such as fish habitat and primary productivity⁶, it also poses a risk to human health, with the possibility of impacting recreation.

Management Considerations

Water quality guidelines for the protection of aquatic life have been established by the province⁸ and the Canadian Council of Ministers of the Environment⁹. In 2004, water samples were collected on McPhee, Anglin, Christopher and Emma Lakes to determine quality⁶. The results of that study showed that water quality on the four largest lakes in the District was generally good but also recommended additional testing to determine the potential impacts of future lakeshore development⁶. The District's Environmental Advisory Committee has implemented an annual water quality monitoring program to assess aquatic ecosystem health of these lakes. Lakeshore residents are key partners in protecting the health of our lakes and the District will endeavor to ensure that residents are kept informed about the findings of the monitoring program.

collecting water samples (A)



EAC Member Wayne Hyde

5.4.3 Algae and Weed Growth

Description and Ecological Impacts

Algae and weeds occur naturally in lakes, ponds and wetlands. A number of factors can influence the species and abundance of algae or weeds in water bodies, including location, water temperature and the inputs to those water bodies. The presence of excessive weeds and algae growth can hinder recreational use of the water. However, it can also make fish habitat less suitable for spawning and deteriorate water quality because the growth of weeds and algae uses oxygen. It is important to recognize that not all weeds and algae are harmful and are a natural part of lake ecosystems. There are factors beyond human control affecting the presence of these organisms, which means that concern may be unwarranted in certain circumstances. Blue-green algae or cyanobacteria is not a form of algae but rapid and extensive growth of this group of species can result in ‘blooms’ similar in appearance to those caused by algae. Cyanobacteria are harmful to humans¹⁰ but have not yet been recorded in Lakeland.



Lake weeds and algae on Namekus Lake.

Management Considerations

Removing naturally occurring weeds and algal blooms is not feasible, nor is it necessarily appropriate from an ecological perspective. However, efforts will be made to determine the degree to which development and human activities in the District are potentially influencing algae and weeds. The District and its partners should make an effort to limit the inputs to the lakes in order to control human contributions to excessive growth incidents.

5.4.4 Lake Water Levels

Description and Ecological Impacts

The water levels of lakes in the District fluctuate throughout the year, exhibiting minimum and maximum levels. In late summer, for example, lakes are typically lower than in the spring months during snow melt. The water levels of some of the lakes in Lakeland can be controlled but others are subject to natural fluctuations and cannot be controlled. The Spruce River dam is used to regulate Spruce River water flows and provides a drawing point for the Emma and Christopher Lakes diversion project¹¹. If the water in Christopher or Emma Lakes falls below a certain level, water can be pumped from Anglin Lake through a channel and into Emma or Christopher Lakes. Both Christopher and Emma Lakes have small watershed areas and are, therefore, susceptible to seasonal patterns affecting lake water levels.



Spruce River dam.

While water levels are primarily associated with aesthetic and other human-centric concerns, there are ecological implications for low and high water levels¹². Increases in phytoplankton (algae) can result from low lake levels in combination with increased water temperatures¹³. Habitats used by aquatic plants and animals can disappear during low water level events¹². The littoral zone near the lake's edge is particularly sensitive to fluctuations because this area may be void of water during certain times of the year, making food resources unavailable for macroinvertebrates¹⁴.

Management Considerations

The Saskatchewan Water Security Agency is responsible for monitoring the levels of Anglin, Christopher and Emma Lakes. If the levels in Christopher Lake fall outside the desired operating range of 514.65 to 514.81 m, and if Emma Lake falls outside the 515.42 to 515.57 m range, the Water Security Agency will divert or release water, as necessary. The District will report any information relating to unusual water levels to the Agency.

5.4.5 Boat Launches and Marinas

Description and Ecological Impacts

Contamination of the environments in and around marinas constructed of pilings treated with creosote has adverse ecological impacts¹⁵. These pilings release polycyclic aromatic hydrocarbons into the water, which has been shown to affect the condition of surrounding benthic communities¹⁵. In addition, like any other development activity in Lakeland, the presence of artificial structures displaces natural plant and animal communities. Boat launches often extend through highly productive shallow waters near the shoreline. While the area covered by a single boat launch or marinas is small in comparison to the remainder of a lake's shoreline, additional structures on heavily developed lakes (e.g. Christopher and Emma Lakes) with existing boat launches and lakefront development is more concerning.

Additional boat launches and marinas could also facilitate an increase in the number of boats and other watercraft operating on lakes that may already be at or close to their respective carrying capacities. The number and operation of motorized watercraft is included in this plan as an environmental issue because excessive watercraft speed adversely affects the natural condition of lakes and their shorelines¹⁶.

Management Considerations

Consideration should be given to the potential impact of increased watercraft and localized ecological impacts of chemically treated pilings when new boat launches or marinas are proposed. Minimizing the environmental damage from boat launches and marinas will be the responsibility of the District and senior government ministries and departments administering approval processes.



Community Marina on Emma Lake.

5.4.6 References

- 1) Mekong River Commission for Sustainable Development (n.d.) *Riparian Floodplain Vegetation, and Swamps*. Mekong River Commission for Sustainable Development. Accessed online at http://ns1.mrcmekong.org/RAK/html/1.7.3c_plants.html.
- 2) Morissette, J. and M. Donnelly (2010) *Riparians Areas: Challenges and Opportunities for Conservation and Sustainable Forest Management*. Sustainable Forest Management Network, Edmonton, Alberta, 56 pp.
- 3) Hoverman, J.T. and P.T.J. Johnson (2012) *Ponds and Lakes: A Journey Through the Life Aquatic*. *Nature Education Knowledge*, 3(6): 17.
- 4) Saskatchewan Water Security Agency (2014) *Aquatic Habitat Protection*. Saskatchewan Water Security Agency, Government of Saskatchewan. <https://www.wsask.ca/Water-Programs/Aquatic-Habitat-Protection/>.
- 5) Government of Canada (2012) *Canadian Drinking Water Guidelines*. Health Canada, Government of Canada. Accessed online at <http://www.hc-sc.gc.ca/ewh-semt/water-eau/drink-potab/guide/index-eng.php>.
- 6) District of Lakeland No. 521 (2005) *Rural Municipality of Lakeland Municipal Planning Program Background Report*. Prepared by Crosby Hanna & Associates for the District of Lakeland No. 521.
- 7) Water Security Agency (2012) *25 Year Saskatchewan Water Security Plan*. Water Security Agency. Accessed online at <https://www.wsask.ca/About-WSA/25-Year-Water-Security-Plan/>.
- 8) Water Security Agency (2006) *Surface Water Quality Objectives, Interim Edition*. Water Security Agency. Accessed online at http://www.saskh20.ca/WaterInformationFactSheet_Surface.asp.
- 9) Canadian Council of Ministers of the Environment (1999) *Canadian Water Quality Guidelines for the Protection of Aquatic Life*. Canadian Council of Ministers of the Environment. Accessed online at <http://ceqg-rcqe.ccme.ca/>.
- 10) Government of Saskatchewan (2013) *Blue-Green Algae – FAQs*. Ministry of Agriculture, Government of Saskatchewan. Accessed online at http://www.agriculture.gov.sk.ca/Blue-Green_Algae_FAQs.
- 11) Water Security Agency (n.d.) *Management of Spruce River Diversion Project: Anglin/Emma/Christopher Lakes*. Water Security Agency.
- 12) Wantzen, K.M., Rothhaupt, K.-O., Mortl, M. Cantonati, M., -Toth, L.G. and P. Fischer (2008) Ecological effects of water-level fluctuations in lakes: an urgent issue. *Hydrobiologia*, 613: 1-4.
- 13) Haldna, M., Milius, A., Laugaste, R. and K. Kangur (2008) Nutrients and phytoplankton in Lake Peipsi during two periods that differed in water level and temperature. *Hydrobiologia*, 599: 3-11.
- 14) Aroviita, J. and H. Hamalainen (2008) The impact of water-level regulation on littoral macroinvertebrate assemblages in boreal lakes. *Hydrobiologia*, 613: 45-56.
- 15) Evans, M.S., Fazakas, K. and J. Keating (2009) Creosote contamination in the sediments of the Grey Owl Marina in Prince Albert National Park, Saskatchewan, Canada. *Water, Air and Soil Pollution*, 201: 161-184.
- 16) Mosisch, T.D. and A.H. Arthington (1998) The impacts of power boating and water skiing on lakes and reservoirs. *Lakes & Reservoirs: Research and Management*, 3:1-17.

Photo Sources:

(A) http://www.lakeland521.ca/photo_gallery.php



5.5.1 Offroad Motorized Vehicles

information on environmental considerations.

Description and Ecological Impacts

Off road motorized vehicles (OMVs), including dirt bikes, all-terrain vehicles (ATVs) and snowmobiles, are a form of recreation enjoyed by many in northern Saskatchewan. OMVs offer an exciting way to experience the wilderness and explore parts of the north that are not easily accessible by other forms of travel. However, like any form of outdoor recreation, OMVs also have the potential to damage the natural environment. For example, ATV use results in soil compaction and erosion, it alters natural drainage patterns and results in the destruction of vegetation. Since OMVs may come to Lakeland from other parts of Canada and the United States, it is possible for units that are not properly cleaned to bring exotic invasive species into the wilderness areas of Lakeland.

Management Considerations

There are no designated OMV trails in Lakeland at this time and any existing recreation trails are generally shared by all users. Designation is one option for siting OMV-only trails in areas that are the least sensitive to the impacts associated with their use. Wetlands and streams crossing should be avoided. However, it should be also be noted that the preferences of OMV users need to be considered during the designation. While users may not consider the sensitivity of certain habitats and ecosystems, those areas could be important draws (e.g. water features and significant views). Using methods that can consider multiple variables (e.g. Geographic Information Systems), including ecological values, could be an effective approach for designating trails for different types of users¹.



Since the physical characteristics of trails, such as grade, slope, drainage patterns, are known determinants of the degree of soil loss, and ATVs result in the greatest loss², these factors should also be considered during trail siting and design. The Ministry of Environment also maintains the *Saskatchewan Activity Restriction Guidelines for Sensitive Species* which specifies sensitive species of plants and animals, their respective key wildlife features and recommended setback distances by disturbance category³. Where information is known about key wildlife features in Lakeland, it can be used during the trail designation process.

It has been found that the environmental impacts of ATVs are not always fully known by users and that communicating those impacts to users could be an effective management option⁴. Partnering with the Saskatchewan ATV Association and other user groups will be an important step in ensuring that OMV owners become stewards of the wilderness areas they use on a regular basis.

5.5.2 Number and Operation of Motorized Watercraft

Description and Ecological Impacts

Boating and other forms of motorized watercraft are an important part of the recreational experience for Lakeland's residents and tourists who come to the area. Motorized watercraft is the subject of this environmental issue because of their speed, the nature of their design and use, and the potential environmental impacts. The environmental concern regarding motorized watercraft is three-fold. First, when boats move through the water, sediments from the lake bed are re-suspended in the water column, increasing water turbidity, in turn reducing the biological productivity of the water⁵. Increased turbidity has the effect of blocking sunlight from reaching the aquatic vegetation and macrophytes at lower depths⁵. This can also result in nutrient enrichment of the water, leading to increased phytoplankton (algae) and aquatic plant growth (including weeds). Second, the increased wave action caused by motorized watercraft degrades shoreline by eroding soils and sediments⁵. Emergent and floating plants and the root of shoreline vegetation may also be eroded⁵. Third, boats operating in shallower waters can come into direct contact with aquatic plants⁵.



Boaters enjoying one of the many lakes in the region.

Management Considerations

The authority to regulate all aspects of boats and boating rests with senior governments. However, since the ecological impacts of motorized watercraft is determined by the number and speed of boats operating at any one time⁵, the District will ensure that those issues are communicated to boaters. The District will continue to communicate the message: “Own Your Wake”. Signage has been installed at boat launches and information has been sent to boaters. Other aspects of living next to lakes can influence the impact of motorized watercraft on lake ecosystems. For example, shoreline vegetation supports soil strength and its removal exacerbates erosion and shoreline degradation.



An example of shoreline degradation.



Canoeing enthusiast taking a rest on the lakeshore – canoeing is a low impact form of aquatic recreation.

5.5.3 Pressure from Provincial Park Expansion

Description and Ecological Impacts

Like the issue of regional development, the District seeks to ensure that regulations and activities within provincial parks do not increase the occurrence of adverse human activity elsewhere in Lakeland. For example, if off road motorized vehicles are prohibited in the newly created Great Blue Heron Provincial Park, it could mean increased use of these vehicles elsewhere in Lakeland. In a way, the ecological burden could be shifted to the remainder of the District.

Management Considerations

In the absence of a management plan for the new provincial park, the extent to which provincial and District policies and regulations align are unknown. With a seat on the Park Advisory Committee, the District will continue to work with the Committee to achieve a level of consistency with respect to park management and the environmental issues facing the District.

5.5.4 References

- 1) Snyder, S.A., Whitmore, J.H., Schneider and D.R. Becker (2008) Ecological criteria, participant preferences and location models: A GIS approach toward ATV trail planning. *Applied Geography*, 28: 248-258.
- 2) Olive, N.D. and J.L. Marion (2009) The influence of use-related, environmental, and managerial factors on soil loss from recreational trails. *Journal of Environmental Management*, 90: 1483-1493.
- 3) Government of Saskatchewan (2014) *Saskatchewan Activity Restriction Guidelines for Sensitive Species*. Fish and Wildlife Branch, Ministry of Environment, Government of Saskatchewan. Accessed online at <http://www.biodiversity.sk.ca/protocols.htm>.
- 4) Waight, C.F. and A.J. Bath (2014) Factors influencing the attitude among all-terrain vehicle users on the island portion of the province of Newfoundland and Labrador, Canada. *Journal of Outdoor Recreation and Tourism*, 5-6: 27-36.
- 5) Mosisch, T.D. and A.H. Arthington (1998) The impacts of power boating and water skiing on lakes and reservoirs. *Lakes & Reservoirs: Research and Management*, 3: 1-17.

Photo Sources:

(A) <https://aesrd.wordpress.com/2013/06/>



5.6.1 Negative Wildlife Interactions

Description and Ecological Impacts

'Negative wildlife interactions' refers to human encounters with animals like bears and deer that result in harm coming to the animal, humans or both. For example, a vehicle colliding with a deer or porcupine on the highway is a negative wildlife interaction. Similarly, an encounter with a black bear (e.g. in the wilderness or in a residential area) that results in the bear being relocated or killed is considered a negative interaction. Interaction with wildlife is commonplace in Lakeland and is unavoidable in many instances. This issue is concerned with limiting the number of avoidable situations where the encounter with wildlife is not a positive one. This type of interaction can also be dangerous and costly. On average, there are 12,000 highway collisions with wildlife each year in Saskatchewan and in 2009 collisions resulted in six human deaths and 343 injuries¹. The ecological impact is a product of the loss of individual animals due to these negative encounters.



Bear aware signage (left) and beaver (*Castor canadensis*) enjoying his meal (right).

Management Considerations

Unwanted encounters with large wildlife can be avoided. Ensuring that odours from garbage containers and collection areas are kept to a minimum will help reduce the likelihood that black bears will seek out these areas. Animal-proofing garbage collection areas will also help keep bear and other animals away. The Saskatchewan Wildlife Federation implements an annual public safety campaign to reduce highway collisions. The District will work with the Federation to disseminate similar information locally. Feeding wildlife is also strongly discouraged.

5.6.2 Light and Noise Pollution

Description and Ecological Impacts

With respect to impacts on wildlife, noise pollution usually refers to excessive noise emanating from human sources, including construction, highway traffic, and residential activities like outdoor music. Noise pollution can adversely affect wildlife by lowering their ability to detect predators² and make important food selection decisions³. In avian (bird) communities, noise pollution can significantly change species interactions and other dynamics of those communities⁴. Artificial night lighting can also affect wildlife. The behaviours of certain species of songbirds, for example, may be altered by night lighting⁵.

Management Considerations

Section 3.3(14) of the District's Development Plan requires new residential construction to incorporate dark sky lighting techniques and principles. The District will continue to communicate those requirements to owners and developers, as well as a general message regarding the ecological impacts of noise and light pollution in Lakeland.

5.6.3 References

- 1) Saskatchewan Government Insurance Canada (2010) Saskatchewan Wildlife Federation Launches Second Phase of Annual Public Safety Campaign. Saskatchewan Government Insurance Canada. Accessed online at <https://www.sgicanada.ca/sk/about/newsreleases/2010/publicsafety.html>.
- 2) Shannon, G., Angeloni, L.M., Wittemyer, G., Fristrup, K.M. and K.R. Crooks (2014) Road traffic noise modifies behaviour of a keystone species. *Animal Behaviour*, 94: 135-141.
- 3) Aaden, A., Chan, Y-H. and D.T. Blumstein (2011) Attention, noise, and implication for wildlife conservation and management. *Applied Animal Behaviour Science*, 131: 1-7.
- 4) Francis, C.D., Ortega, C.P. and A. Cruz (2009) Noise pollution changes avian communities and species interactions. *Current Biology*, 19: 1415-1419.
- 5) 19 – Kempenaers, B., Borgstrom, P., Loes, P., Schlicht, E. and M. Valcu (2010) Artificial night lighting affects dawn song, extra-pair siring success, and lay date in songbirds. *Current Biology*, 20: 1735-1739.

Photo Sources:

- (A) <http://outdoorcanada.ca/hunting/page/3>
(B) <http://www.pc.gc.ca/eng/pn-np/ab/jasper/natcul/caribou-jasper.aspx>



5.7.1 Spruce Budworm and Infestations

Description and Ecological Impacts

The Spruce Budworm is an insect native to the boreal forests that feeds on the foliage of spruce trees. Under certain circumstances, heavy infestations can occur like those experienced in Saskatchewan from 1996 to 2005¹. Spruce budworm defoliation has also been observed in Lakeland in recent years. In 2013, a spraying program for the spruce budworm in the District was implemented, in which aerial spraying of pesticides was used to control outbreaks. Although the spruce budworm is native to Northern Saskatchewan, there is concern that more frequent and severe outbreaks may be the result of changing climatic conditions. If occurrences of future spruce budworm infestations are linked to climatic changes caused by humans, the ecological damage of extensive tree defoliation is more relevant but additional research is needed.

Management Considerations

The District will support local research efforts by universities and consultant groups. Since the pesticides used for controlling spruce budworm may have broader, unintended ecosystem implications, further investigation into environmentally responsible control methods is warranted. The District will establish a program to demonstrate natural control options for other types of pests in order for property owners to take actions on their property in a manner that has minimal impact on the environment.

5.7.2 Forest Fire Management

Description and Ecological Impacts

Forest fires pose significant risks to human life and property. They may occur naturally or are the result of human actions. The effect of forest fires on the natural environment can be both positive and negative. While the destruction to natural habitats and biodiversity loss resulting from large-scale forest fires is evident, such fires are also part of the natural successional patterns of many forested ecosystems. Pine trees, for example, require the heat from forest fires to initiate seed germination for new growth. This environmental issue is concerned with two elements of forest fire management. First, preventing human-induced fire will help mitigate the ecological damage caused by fires, while recognizing that there is an important role for naturally occurring fires. Second, there is also concern that the management actions taken to reduce the risk of forest fires, such as clearing understorey vegetation and establish clear-cut buffers, may not consider the ecological consequences of those actions.

Management Considerations

FireSmart is a widely recognized initiative to reduce the number of forest or wild fires caused by humans. The District will display FireSmart materials in the District office and work to promote the initiative. Since forest fire management is the responsibility of the province, the District will contact the Ministry of Environment to enquire about how ecological principles are being considered in management activities. The protection of human life is paramount but if there are ways to achieve that protection without causing unnecessary environmental damage, those options should be explored.

5.7.3 Commercial Forest Harvesting and Reforestation

Description and Ecological Impacts

Approximately 5,350 ha of Crown forests in Lakeland have been commercially harvested since 1970, representing 10 percent of the total area of the District (see Appendix 7). Logging is a relatively important industry in the District and contributes to the overall economic diversity within the region. However, logging also poses a significant threat to landscape level biodiversity. Clear-cutting results in habitat loss and fragmentation, negatively affecting both plant and animal populations. By removing merchantable timber (spruce, fir and pine), native plant communities are altered and animal species using those forests as habitat must relocate. Fragmented forest habitats also become less useful to many species requiring larger patches of undisturbed habitats². Large clear-cutting operations may not consider smaller, ecologically sensitive areas like wetlands and riparian areas that are important hotspots for biodiversity.

Management Considerations

In 2010, Sakâw Askiy Management Inc. obtained rights to the Prince Albert Forest Management Agreement (FMA) area which includes the District. Sakâw Askiy is currently working to develop a new FMA with the province, its member companies and partners (including First Nations), and stakeholders. The District is one of those stakeholders. While the authority to regulate commercial forest harvesting on provincial Crown land rests with the province, the District will continue to represent its environmental interests on the working group for development of the new FMA.



An example of clear-cut logging practices (A).

5.7.4 References

- 1) District of Lakeland No. 521 (2012) *Investigation into the Spruce Budworm in the District of Lakeland*. Environmental Advisory Committee, District of Lakeland No. 521. Accessed online at http://www.lakeland521.ca/council_reports.php.
- 2) Arlt, M.L. and M. Manseau (2011) Historical changes in caribou distribution and land cover in and around Prince Albert National park: land management implications. *Rangifer*, 19: 17-31.

Photo Sources:

- (A) <http://www.ab-conservation.com/go/default/index.cfm/programs/program-report-details/?&cfgridkey=BA37815D-BCD6-BFDD-5CEB34BE2A31A30C>



5.8.1 Exotic Invasive Species

Description and Ecological Impacts

Exotic invasive species (EIS) are plant and animal species that are not native to an area and cause detriment to the native plant and animal communities they invade. The Saskatchewan Invasive Species Council lists 32 EIS on its website¹ (see Appendix 8 for list). It is likely that there are many additional EIS present in the province. EIS are of concern because of the significant economic, social, culture and ecological impacts they can cause. Migration of species is a natural process but instead of occurring over many millennia, human activities can result in the relatively rapid transportation and introduction of species to non-native ecosystems. Inadvertent human transportation of species can occur in a variety of different ways. Zebra mussels (*Dreissena polymorpha*), for example, were likely introduced to the Great Lakes when commercial trading vessels from Europe released ballast waters. Once they have been introduced to a new ecosystem, EIS like leafy spurge (*Euphorbia esula*) outcompete native populations, less encumbered by predators and diseases of the native species.



Zebra mussels (B).

EIS can be very costly to eliminate once introduced and to address the impacts of certain species. The federal government estimates that the total cost of zebra mussels to businesses, industries and communities exceeds \$5 billion². EIS may be aesthetically unappealing, while affecting recreational use of an area (e.g. zebra mussels covering a beach). Ecologically, EIS can harm ecosystems by displacing native vegetation and eliminating important habitats in the process. A study completed north of Lakeland in 2007 found 23 exotic plant species in logged areas, forest fire sites and highway corridors³. One species – smooth brome grass (*Bromus inermis*) – was determined to be a serious threat and a difficult plant to control³. That study demonstrates that EIS are in the region, which means that exotic plants could pose an immediate threat to Lakeland's biodiversity.

Management Considerations

Prevention is typically the best approach to addressing EIS because once established they can be difficult to remove. Prevention also requires fewer resources in the long term but does necessitate a short term investment in public education and awareness campaigns. This issue is important to all partners in Lakeland because the impacts will be widespread.

The District has already taken efforts to communicate the EIS message to Lakeland residents and tourists by installing aquatic invasive species signage at boat launches in the District and including an insert on EIS in a mail-out to residents. The provincial government is taking steps to address zebra and quagga mussels (*Dreissena rostriformis*) in Saskatchewan. The issue recently became more salient when zebra mussels were discovered in Lake Winnipeg, Manitoba. The campaign is titled "Clean, Drain, Dry" and the message is aimed at boaters who are coming to Saskatchewan. The Ministry of Environment is also in the process of establishing monitoring and sampling protocols for Saskatchewan to help ensure early detection of introductions. Monitoring in Lakeland is necessary given the number of boats coming to the area from outside of the province.

5.8.2 Climate Change



Description and Ecological Impacts

Global climate change is occurring. The extent to which humans are affecting global climate patterns may be unclear and, furthermore, the possible local ecological implications may not be fully known. However, the concern is that climate change could exacerbate environmental issues facing the District, such as increased wildfire events and extinctions of local plant and animal populations sensitive to such changes. Climatic factors (e.g. precipitation and temperature) have changed in the boreal forest in the last century⁴, potentially resulting in broader ecological changes⁵. As a significant carbon sink, climate change is also a function of maintaining the boreal forest. In this way, the condition of the natural landscape of Lakeland (containing boreal forests) is both threatened by climate change and a contributor to ecological changes experienced in other parts of the world.

Management Considerations

The District advocates for a reduction in the carbon footprints of all local partners, meaning that local contributions to global climate change and the greenhouse effect are minimized. For the District, this means increased energy efficient and reduced dependence on fossil fuels. Since the province is responsible for deciding the extent to which the boreal forests of Northern Saskatchewan are harvested, continued engagement with the Ministry of Environment on the global importance of the boreal region will be important. Given that the District is located along the southern boundary of the Mid-Boreal Uplands ecoregion, changes to the extent of the boreal forest could have significant implications for Lakeland. If global climatic changes (and resulting local changes) are not averted, local adaptation will be required (e.g. increased monitoring for and control of insect outbreaks that may be linked to changing weather patterns).

5.8.3 References

- 1) Saskatchewan Invasive Species Council (2013) Invasive Species. Saskatchewan Invasive Species Council. Accessed online at <http://www.saskinvasives.ca/index.php?id=14>.
- 2) Government of Canada (2010) *Alien Invasive Species*. Transport Canada, Government of Canada. Accessed online at <https://www.tc.gc.ca/eng/marinesafety/oep-environment-ballastwater-alienspecies-1055.htm>.
- 3) Summers, W.H. and O.W. Archibold (2007) Exotic plant species in the southern boreal forest of Saskatchewan. *Forest Ecology and Management*, 251: 156-163.
- 4) Singh, T. and M. Powell (1986) Climatic variation and trends in the boreal forest region of Western Canada. *Climatic Change*, 8: 267-278.
- 5) Soja, A.J., Tchebakova, N.M., French, N.H.F., Flannigan, M.D., Shugart, H.H., Stocks, B.J., Sukhinin, A.I., Parfenova, E.I., Chapin III, F.S. and P.W. Stackhouse Jr. (2007) Climate-induced boreal forest change: predictions versus current observation. *Global and Planetary Change*, 56: 274-296.

Photo Sources:

(A) http://commons.wikimedia.org/wiki/File:Lythrum_salicaria,_purple_loosestrife_4.jpg

(B) <http://www.100thmeridian.org/photobank/>



Luna moth (*Actias luna*) (Photo: Leslie Tuckek).

6.0 Implementation

6.1 Implementation Strategy

The plan follows a five year implementation timeline, beginning in 2015 and ending in 2019. Implementation will occur in the short term (Year 1), medium term (Years 2-3), long term (Years 4-5), or is classified as an ongoing action. This is intended only as a guide to help prioritize environmental management initiatives and timing may change depending on circumstances. For example, if immediate funding is available for a long term project, it may be advantageous to seek that funding when it is available. While the District will lead each of the management actions, involvement of key partners will be important to success of the plan. Table 7 states each management action, implementation timing and key partners.

Table 7. Implementation Strategy.

Management Actions	Implementation Timing	Key Partners
Sensitive Areas and Species		
Degradation of Ecologically Sensitive Areas		
Action 1	Short/Medium	UoS, Ministry of Environment
Action 2	Medium	UoS
Action 3	Long	Residents
Action 4	Medium	NGOs, First Nations
Species at Risk		
Action 1	Medium	SCDC, Ministry of Environment, Environment Canada
Action 2	Medium	SCDC, UoS, First Nations
Action 3	Ongoing	Residents
Action 4	Ongoing	SCDC
Action 5	Medium	UoS, Ministry of Environment
Land Use and Development		
District Development		
Action 1	Medium	
Action 2	Long	
Action 3	Short	
Action 4	Short	Ministry of Environment, residents
Regional Development		
Action 1	Ongoing	Adjacent municipalities, District Planning Commission
Action 2	Ongoing	
Action 3	Short	
Solid and Liquid Waste		
Action 1	Medium	Adjacent municipalities
Action 2	Ongoing	Residents
Action 3	Short	


Communication Towers		
Action 1	Ongoing	Industry Canada
Action 2	Ongoing	Industry Proponents
Controlling Drainage and Contamination		
Petroleum-Based and Industrial Products		
Action 1	Short	Residents
Action 2	Ongoing	Ministry of Environment, Ministry of Highways and Infrastructure
Action 3	Medium	
Action 4	Ongoing	
Action 5	Medium	Residents
Fertilizers, Pesticides and Herbicides		
Action 1	Ongoing	Residents, businesses
Action 2	Medium	Industries, regional businesses
Action 3	Medium	Ministry of Environment
Action 4	Long	Ministry of Environment
Sediments Drainage and Sedimentation		
Action 1	Ongoing	Residents, Ministry of Highways
Action 2	Ongoing	SWSA, Fisheries and Oceans Canada
Action 3	Short	Ministry of Environment
Septic Tanks and Grey Water		
Action 1	Medium	Ministry of Health
Action 2	Short	
Action 3	Ongoing	Residents
Action 4	Short	Residents
Action 5	Short	Ministry of Health
Land of Lakes		
Shoreline Alteration		
Action 1	Ongoing	SWSA, Fisheries and Oceans Canada
Action 2	Short	SWSA, Fisheries and Oceans Canada
Action 3	Ongoing	Contractors, local businesses
Action 4	Ongoing	Ministry of Community Affairs
Action 5	Short	Residents
Action 6	Ongoing	Residents
Lake Water Quality		
Action 1	Ongoing	SWSA, Ministry of Environment, NGOs
Action 2	Ongoing	
Action 3	Ongoing	Residents
Algae and Weed Growth		
Action 1	Ongoing	Ministry of Environment

Lake Water Levels		
Action 1	Ongoing	SWSA
Boat Launches and Marinas		
Action 1	Ongoing	SWSA, Fisheries and Oceans Canada, local boating organisations
Responsible Recreation		
Off road Motorized Vehicles		
Action 1	Short	Residents
Action 2	Medium	Ministry of Environment, Ministry of Parks
Action 3	Ongoing	Ministry of Environment, Ministry of Parks
Action 4	Medium	Saskatchewan ATV Association
Action 5	Ongoing	Residents
Action 6	Long	Saskatchewan ATV Association
Number and Operation of Motorized Watercraft		
Action 1	Short	Fisheries and Oceans Canada
Action 2	Medium	Fisheries and Oceans Canada
Action 3	Ongoing	
Action 4	Medium	Ministry of Community Affairs, SWSA
Pressure from Provincial Park Expansion		
Action 1	Short	Ministry of Parks, Parks Advisory Committee
Living With Wildlife		
Negative Wildlife Interaction		
Action 1	Short	NGOs, SGI, Saskatchewan Wildlife Federation
Action 2	Medium	
Light and Noise Pollution		
Action 1	Medium	Residents
Action 2	Short	Residents
Northern Forests		
Spruce Budworm and Infestations		
Action 1	Ongoing	UoS, research institutions
Action 2	Ongoing	Industry
Action 3	Short	
Action 4	Short	Public schools, residents
Forest Fire Management		
Action 1	Medium	Ministry of Parks, Ministry of Environment, Ministry of Highways
Action 2	Short	Residents
Action 3	Short	Residents

Commercial Forest Harvesting and Reforestation		
Action 1	Ongoing	Ministry of Environment
Action 2	Ongoing	Sakâw Askiy Management Inc.
Action 3	Medium	Residents
Threats and Adaptation		
Exotic Invasive Species		
Action 1	Short	Saskatchewan Invasive Species Council, Ministry of Environment
Action 2	Short	Saskatchewan Invasive Species Council
Action 3	Medium	Public schools, resident
Action 4	Short	
Climate Change		
Action 1	Long	UoS
Action 2	Ongoing	

6.2 Plan Review

Following the five year planning cycle, a new Working Group will be formed to review the plan and assess accomplishments. New goals, objectives, management actions and implementation could be determined at that time, with corresponding updates to the plan.



APPENDICES


Data Sources for Maps:


Her Majesty In Right Of Saskatchewan. The incorporation of data sourced from Her Majesty In Right Of Saskatchewan within this product shall not be construed as constituting an endorsement by Her Majesty In Right Of Saskatchewan of such product.


GeoBase®


APPENDIX 1


Administrative Map











APPENDIX 6

Species At Risk


Common Name	Latin Name	Taxon	COSEWIC Status	Schedule	SARA Status
Alkaline Wing-nerved Moss	<i>Pterygoneurum kozlovii</i>	Mosses	Threatened	Schedule 1	Threatened
American Badger taxus subspecies	<i>Taxidea taxus taxus</i>	Mammals	Special Concern	No schedule	No Status
Baird's Sparrow	<i>Ammodramus bairdii</i>	Birds	Special Concern	No schedule	No Status
Bank Swallow	<i>Riparia riparia</i>	Birds	Threatened	No schedule	No Status
Barn Swallow	<i>Hirundo rustica</i>	Birds	Threatened	No schedule	No Status
Bigmouth Buffalo	<i>Ictiobus cyprinellus</i>	Fishes	Special Concern	Schedule 1	Special Concern
Bobolink	<i>Dolichonyx oryzivorus</i>	Birds	Threatened	No schedule	No Status
Buff-breasted Sandpiper	<i>Tryngites subruficollis</i>	Birds	Special Concern	No schedule	No Status
Canada Warbler	<i>Cardellina canadensis</i>	Birds	Threatened	Schedule 1	Threatened
Chestnut Lamprey	<i>Ichthyomyzon castaneus</i>	Fishes	Non-active	Schedule 3	Special Concern
Common Nighthawk	<i>Chordeiles minor</i>	Birds	Threatened	Schedule 1	Threatened
Eastern Whip-poor-will	<i>Antrostomus vociferus</i>	Birds	Threatened	Schedule 1	Threatened
Eskimo Curlew	<i>Numenius borealis</i>	Birds	Endangered	Schedule 1	Endangered
Great Plains Toad	<i>Anaxyrus cognatus</i>	Amphibians	Special Concern	Schedule 1	Special Concern
Gypsy Cuckoo Bumble Bee	<i>Bombus bohemicus</i>	Arthropods	Endangered	-	-
Horned Grebe	<i>Podiceps auritus</i>	Birds	Special Concern	No schedule	No Status
Lake Sturgeon	<i>Acipenser fulvescens</i>	Fishes	Endangered	No schedule	No Status
Little Brown Myotis	<i>Myotis lucifugus</i>	Mammals	Endangered	No schedule	No Status
Loggerhead Shrike Prairie subspecies	<i>Lanius ludovicianus excubitorides</i>	Birds	Threatened	Schedule 1	Threatened
Monarch	<i>Danaus plexippus</i>	Arthropods	Special Concern	Schedule 1	Special Concern
Northern Leopard Frog	<i>Lithobates pipiens</i>	Amphibians	Special Concern	Schedule 1	Special Concern
Northern Myotis	<i>Myotis septentrionalis</i>	Mammals	Endangered	No schedule	No Status
Olive-sided Flycatcher	<i>Contopus cooperi</i>	Birds	Threatened	Schedule 1	Threatened
Peregrine Falcon anatum/tundrius	<i>Falco peregrinus</i>	Birds	Special	Schedule 1	Special

APPENDIX 6

Species At Risk

	anatum/tundrius		Concern		Concern
Piping Plover circumcinctus subspecies	Charadrius melodus circumcinctus	Birds	Endangered	Schedule 1	Endangered
Plains bison	Bison bison bison	Mammals	Threatened	No schedule	No Status
Red Knot rufa subspecies	Calidris canutus rufa	Birds	Endangered	Schedule 1	Endangered
Rusty Blackbird	Euphagus carolinus	Birds	Special Concern	Schedule 1	Special Concern
Short-eared Owl	Asio flammeus	Birds	Special Concern	Schedule 1	Special Concern
Shortjaw Cisco	Coregonus zenithicus	Fishes	Threatened	Schedule 2	Threatened
Sprague's Pipit	Anthus spragueii	Birds	Threatened	Schedule 1	Threatened
Verna's Flower Moth	Schinia verna	Arthropods	Threatened	Schedule 1	Threatened
Western Bumble Bee occidentalis subspecies	Bombus occidentalis occidentalis	Arthropods	Threatened	-	-
Western Grebe	Aechmophorus occidentalis	Birds	Special Concern	-	-
Western Tiger Salamander	Ambystoma mavortium	Amphibians	Special Concern	No schedule	No Status
Wolverine	Gulo gulo	Mammals	Special Concern	No schedule	No Status
Woodland caribou	Rangifer tarandus caribou	Mammals	Threatened	Schedule 1	Threatened
Yellow Rail	Coturnicops noveboracensis	Birds	Special Concern	Schedule 1	Special Concern

Common Name	Latin Name	Taxon	Wildlife Act, 1998
Piping Plover	Charadrius melodus	Birds	Endangered
Sand Verbena	Abronia microantha	Vascular Plants	Endangered
Western Spiderwort	Tradescantia occidentalis	Vascular Plants	Endangered
Tiny Cryptanthus	Cryptantha minima	Vascular Plants	Endangered



Terrestrial Plants Common Tansy Black Henbane Common Burdock Dames Rocket Field Scabious Garlic Mustard Himalayan Balsam Jointed Goatgrass Leafy Spurge Oxeye Daisy Red Bartsia Russian Knapweed Salt Cedar Scentless Chamomile Spotted Knapweed Squarrose Knapweed Wild Parsnip Yellow Starthistle Yellow Toadflax	Aquatic Plants Curlyleaf Pondweed Eurasian Watermilfoil Flowering Rush Purple Loosestrife Water Soldier
Insects Ash Leaf Cone Roller Cottony Ash Psyllid Gypsy Moth	Animals Asian Tapeworm Fishhook and Spiny Waterfleas New Zealand Mudsail Rusty Crayfish Zebra Mussels

